

**MONOGRAPH ON THE DEPOSITS OF NONFERROUS METALS AND RARE METALS  
WITHIN THE VERSAILLES TREATY FRONTIERS OF GERMANY**

**Summary**

This monograph gives a comprehensive review of all nonferrous metal deposits in Germany which are being mined, explored or developed. It thus contains not only the mines actually in operation, but also the deposits which were explored during the past ten years and then not exploited because they were found to be not worth mining, and also those deposits which were being explored and developed up to the end of the war, but were never exploited because of the collapse of Germany. The number of the deposits discussed is therefore very large, and comprises a total of about 100 individual deposits.

The work has taken on the character of a great scientific study which has no counterpart. Up to now, no comprehensive, modern study of the German ore deposits has been available. Those works which include a discussion of ore deposits or ore mines within the scope of the German mineral wealth (such as Eiger "Die Bodenschätze Deutschlands") are either obsolete or inadequate. An entirely new work had thus to be created. This was very difficult, since the data for the study (files, statistics, reports, drawings, etc.), both in the possession of private firms and of authorities, had been destroyed to a large extent during the war and following Germany's collapse, while another part of the data, especially those held by the Government, had been transferred to other Zones and were, therefore, beyond our reach. The study is, therefore, not equally thorough and complete for all regions discussed. The most complete section is that dealing with the deposits in the Soviet Zone, most of which - save for a few exceptions - were treated exhaustively. The deposits in the other Zones, which account for the greatest part of the nonferrous metal production of Germany, could not be presented as completely, because the difficulties in obtaining the

necessary material for study were insurmountable. This applies especially to all statistical data on metal contents, production, ore reserves, operational conditions, etc. This material contains a number of great gaps. It can be stated without fear of exaggeration that the losses caused by war in the field of geology are irreplaceable.

The material in this monograph is arranged by metals, or by groups of metals. Each group is introduced with a general review of the geological occurrence of the metals in question, followed by a discussion of the individual deposits, arranged by regions. At the end, the production and economic importance of each group of metals are discussed.

As distinguished from research topic 1/1(3112), this monograph places the emphasis on the discussion of mineralogical and geological conditions. Accordingly, the following subjects are treated in detail: Content and structure of the deposit, distribution of ore within the deposit, metal content, ore reserves, genesis. These chapters are followed by those dealing with operational conditions, production during the past few years, and economic potential.

The monograph is divided into 16 major sections, arranged by metals. It begins with a general summary of the regional distribution of the German nonferrous metal deposits and the genetic types of the deposits. This is followed by a discussion of the lead-zinc deposits, which are the most important ones of Germany. Five volumes are devoted to this topic, covering the deposits in the Freiberg region, the Harz Mountains, the region along both banks of the Rhine, the Black Forest, and Upper Silesia, a total of about 50 different deposits. A special section deals with the pure lead ore deposits, of sedimentary origin and containing no zinc and silver, which are few in number but economically important.

The second greatest role among the nonferrous metals in Germany is played by the deposits of copper, which are treated in three volumes. The emphasis here is placed on the Upper Permian sedimentary copper deposits, which supply ores of poor quality but which cover a great

area (Central and West German copper shale and Lower Silesian copper marl). The study of the copper shale was carried out by the Mansfeld A.G. of Eisleben. The hydrothermal copper veins, although numerous, are of only slight importance.

Three volumes treat the tin and tungsten deposits, which are of economic importance only in the area of the Erzgebirge in Saxony. They are divided into pure tin deposits, tin-tungsten deposits, and pure tungsten deposits. Eighteen individual deposits, among them several classical types of the deposits of the Erzgebirge, are discussed therein.

Of great scientific interest, although still of slight economic importance, are the cobalt-nickel-bismuth-uranium deposits, the classical development of which also occurred in the Erzgebirge (Schneeberg and Johanngeorgenstadt). Unimportant deposits of analogous types are found in other regions of Germany. However, the pure nickel deposits, especially the Silesian garnierite deposits, are of greater importance.

In addition to the Meggen deposit in Westphalia, which is one of the greatest in Europe, the pyrite deposits include a number of limited or minor importance, especially in Bavaria, in the Harz Mountains, and in the Rhineland.

This exhausts the topic of nonferrous metal deposits in Germany which are of economic importance. A final volume then gives a short summary of the unimportant deposits of antimony, arsenic, mercury, chromium, gold, and bauxite.

The final chapter, with the aid of statistical data, presents a compilation of the economic importance of the mining of nonferrous metals for Germany and a comparison with world production, and the potential development of the German nonferrous metal deposits on the basis of the evaluation carried out during the past ten to twelve years.

The entire monograph contains approximately 2,500 pages, in 15 volumes.

## Table of Contents of all Volumes

### Volume I

#### I. Summary of the deposits of nonferrous metals and rare metals in Germany

##### A. Regional distribution of the ore deposits as dependent on geological factors

##### B. Genetic types of deposits

###### a) Deposits of magmatic origin

- 1) Liquid-magmatic deposits
- 2) Pegmatitic-pneumatolytic deposits
- 3) Hydrothermal deposits

###### b) Deposits of sedimentary origin

- 1) Mineralization by chemical precipitation
- 2) Mineralization by mechanical separation

#### II. Lead-zinc-silver deposits

##### A. Summary of geological occurrence

##### B. The deposits

###### a) Hydrothermal veins

###### 1) Erzgebirge

Summary of the lead-zinc-silver ore veins in the Erzgebirge

"Himmelfahrt" mine near Freiberg

"Beihilfe" mine near Halsbruecke

### Volume II

#### 2) Harz Mountains

"Grund" ore mine

"Lautenthalsglueck" mine at Lautenthal

Pfaffenberg mine near Neudorf, Neudorf - Strassberg region,  
Lower Harz

#### 3) Velbert anticline and Ruhr

"Vereinigte Glueckauf" mine near Neviges, Velbert anticline

"Auguste Viktoria" mine near Marl-Huels, Ruhr Carboniferous

"Christian Levin" mine at Essen-Dellwig, Ruhr Carboniferous

## Volume III

- 4) "Bergisches Land" (East of Cologne)  
 Luederich mine near Unterschbach  
 "Nikolaus Phoenix" mine near Overath
- 5) Sauerland  
 "Vereinigte Bastenberg und Doernberg" mine at Ramsbeck,  
 Westphalia
- 6) Siegerland and Dill regions  
 "Gewerkschaft Glansenberg" mine at Silberg, Kreis Olpe  
 "Fuerst Moritz" mine near Niederndorf  
 "Marie Loewenstern" mine near Wuergendorf, Kreis Siegen  
 Gonderbach mine near Fischelbach, Dill region  
 Teutsch mine near Goennern, Kreis Biedenkopf

## Volume IV

- 7) Lahn region  
 "Holsappel" mine near Laurenburg on the Lahn River  
 "Merkur" mine near Bad Ems on the Lahn River  
 "Muehlenbach" mine near Arenberg  
 "Gute Hoffnung" mine at Prinzenstein near Werlau
- 8) Taunus Mountains
- 9) Aachen - Stolberg region
- 10) Eifel  
 Bendisberg mine near Virneburg, Kreis Mayen  
 "Wohlfahrt" mine near Rescheid  
 "Glueckstahl" mine near Hummersheim, Kreis Euskirchen  
 Hohenthuerme mine near Effelsberg  
 "Neue Hoffnung" mine near Bleialf, Kreis Pruem
- 11) Hunsrueck  
 Trarbach mine near Traben-Trarbach, Kreis Zell on the Mosel  
 River  
 "Theodor" mine near Tellig  
 "Adolf-Helene (Barbarasegen)" mine near Altlay

Bischofsheim mine near Hockweiler  
 Friedrichsfeld mine near Bundenbach  
 12) Black Forest  
 "Schauinsland" mine, Kappel near Freiburg im Breisgau  
 Schapbach valley, Kinzig region

#### Volume V

#### b) Metasomatic deposits

##### 1) Upper Silesia

"Neu-Bleischarley" mine, Beuthen

"Alt-Bleischarley" mine, Birkenhain in Beuthen

"Fiedlersglueck" mine, Beuthen

"Neue Viktoria-Neuhof" mine, Dombrowka near Beuthen

##### 2) Wiesloch, Baden

#### c) Complex, metamorphously altered sedimentary deposits

Rammelsberg near Goslar, Harz

#### C. Production and economic importance

#### Volume VI

### III. Pure lead ore deposits

#### A. Summary of geological occurrence

#### B. The deposits

##### a) Lead ores in red Triassic sandstone

1) Mechernich, Kreis Schleiden, Eifel

2) Maubach Bleiberg, Kreis Dueren

##### b) Lead ores in the kaolin sandstone of the Keuper near Freihung, Bavarian Upper Palatinate

#### C. Production and economic importance

#### Volume VII

### IV. Copper ore deposits

#### A. Summary of geological occurrence

#### B. The deposits

##### a) Sedimentary copper deposits

- 1) Copper shale in the Upper Permian deposits of Central and Western Germany
  - Mansfeld region
  - Sangerhaus region
  - Thuringian Forest
  - Solz - Sontra
  - Ronshausen - Hoenebach
  - Bieber - Heingruendau
  - Frankenberg - Thalitter
- 2) Copper marl in the Lower Silesian Upper Permian deposits
  - Groeditz trough
  - Hassel trough
- 3) The copper deposit of Niedermarsberg, Westphalia
- 4) Copper ores in red Triassic sandstone
  - Wrexen and Twiste, Waldeck

#### Volume IX

- b) Hydrothermal veins
    - 1) Nahe region
    - 2) "Danielssug" mine, Kupferberg near Wipperfuerth, Rhineland
    - 3) Braekerkopf mine, near Iserlohn, Westphalia
    - 4) Hatzfeld mine near Eitorf on the Sieg River
    - 5) "Clemenslust" mine near Linz on the Rhine River
    - 6) "Wilhelm" mine near Antweiler on the Ahr River
    - 7) Reichenbach mine, Odenwald
    - 8) Copper ore deposits in the Dill and Lahn regions
      - Boxbach mine near Wiesenbach
      - "Neuer Mut" mine near Nansenbach
      - "Alte Hoffnung" mine near Langenaubach
      - "Isabella" mine near Oberrossbach
      - "Gottesgabe" mine near Roth
      - "Altermann" mine near Langhecke
  - c) Copper as by-product of other ore deposits
- #### C. Production and economic importance

## Volume X

### V. Tin and tungsten deposits

#### A. Summary of geological occurrence

#### B. The deposits

##### 1) Erzgebirge in Saxony

a) Geological summary of the tin and tungsten mines in the Erzgebirge in Saxony

b) Summary of form, metal content, reserves, and production of the deposits

##### c) Tin deposits

Altenberg mine, Eastern Erzgebirge

"Zinnerne Flasche" mine, Pobershau near Marienberg

Ehrenfriedersdorf mine

"Gabe Gottes" mine, Doenitzgrund near Eibenstock

Tannenberg mine near Tannenbergthal, Vogtland

Oelsenitz mine, Vogtland

## Volume XI

##### d) Tin-tungsten deposits

Badisdorf mine, Eastern Erzgebirge

Zinnwald mine, Eastern Erzgebirge

Gottesberg mine, Vogtland

## Volume XII

##### e) Tungsten deposits

Zachorlau mine near Schneeberg

"Helene" mine near Schneeberg

"Martin Roemer" mine near Schneeberg

Fechtelgruen mine, Vogtland

Tirpersdorf mine, Vogtland

##### f) Tin gravels

Greifenstein gravels near Geyer

"Bauschwemme" near Johanngeorgenstadt

##### 2) Weissenstadt in the Fichtel Mountains

##### 3) Giehren and Querbach, Silesia



- C. Possibility of increasing production and basic conditions for  
an increase in production according to the deposit reserves

#### Volume XIII

#### VI. Cobalt-nickel-bismuth-uranium deposits

- A. Summary of geological occurrence
- B. The deposits
  - a) Erzgebirge  
Schneeberg  
Johanngeorgenstadt  
"Unverhofft Glueck" on the Luxbach near Oberwiesenthal
  - b) Cobalt ores in the Siegerland  
"Philippshoffnung" mine near Siegen
  - c) Cobalt-nickel-bismuth-copper ores in the Black Forest  
Wittichen near Alpirsbach, Central Black Forest  
Neubulach, Wuerttemberg
  - d) Cobalt-nickel-bismuth-uranium ores at Schmiedeberg, Silesia
- C. Production and economic importance

#### VII. Pure nickel deposits

- A. Summary of geological occurrence
- B. The deposits
  - a) Nickel silicate deposits  
Frankenstein, Silesia
  - b) Nickeliferous pyrrhotite deposits  
Schland on the Spree River, Upper Lausitz  
Horbach and Todtnoos near St. Blasien, Black Forest
- C. Production and economic importance

#### Volume XIV

#### VIII. Pyrite deposits

- A. Summary of geological occurrence
- B. The deposits
  - a) Non-metamorphous pyrite deposits

Meggen on the Lenne River, Westphalia

"Drei Kronen und Kirt" mine, Elbingerode, Harz Mountains

Lohrheim near Limburg, Lahn region

"Maikammer-Fortuna" mine near Wuelfrath, Rhineland

b) Metamorphous pyrite deposits

1) Bodenmais, Bavarian Forest

2) Lam, Bavarian Forest

3) "Bayernland" mine near Waldsassen, Upper Palatinate

4) Kupferberg, Upper Franconia (Bavaria)

5) Rohnau, Silesia

c) Appendix: Pyrite in coal

C. Production and economic importance

Volume XV

IX. Antimony deposits

A. Summary of geological occurrence

B. The deposits

1) "Halber Mond" mine, Oberboehmsdorf near Schleis, Thuringia

2) Wolfersgruen, Upper Franconia (Bavaria)

3) "Apollo" mine near Raubach, Westervald

C. Production and economic importance

X. Arsenic deposits

A. Summary of geological occurrence

B. The deposits

1) "Reicher Trost" mine, Reichenstein, Silesia

2) Rothenzechau, Silesia

C. Production and economic importance

XI. Mercury deposits

A. Summary of geological occurrence

B. The deposits

Mercury deposits of the Rhenish Palatinate

C. Production and economic importance

**XII. Chrome deposits**

- A. Summary of geological occurrence
- B. The deposits  
Tampadel, Zobten Mountain, Silesia
- C. Production and economic importance

**XIII. Gold deposits**

- A. Summary of geological occurrence
- B. The deposits  
Korbach, Waldeck
- C. Production and economic importance

**XIV. Bauxite deposits**

- A. Summary of geological occurrence
- B. The deposits  
Bauxite deposits of the Vogelsberg
- C. Production and economic importance

**XV. Appendix: Niobium (koppite) in the contact marble of Schelingen, Kaiserstuhl Mountain****XVI. Economic importance and future of the German nonferrous metal mines**

- 1) Summary of the economic importance of the German nonferrous metal mines
- 2) Development of production in the various regions since 1934
- 3) Production of nonferrous ores in the different Zones of Occupation
- 4) Economic importance of the nonferrous metal deposits for Germany
- 5) Economic importance of the German nonferrous metal deposits as compared to world production
- 6) Possibilities of developing the German nonferrous metal deposits, on the basis of reserves and metal contents

## Table of Contents of Volume I

- Introductory remarks
- Glossary of mining terms
- I. Summary of the deposits of nonferrous metals and rare metals in Germany
  - A. Regional distribution of the ore deposits as dependent on geological factors
  - B. Genetic types of deposits
    - a) Deposits of magmatic origin
      - 1) Liquid-magmatic deposits
      - 2) Pegmatitic-pneumatolytic deposits
      - 3) Hydrothermal deposits
    - b) Deposits of sedimentary origin
      - 1) Mineralization by chemical precipitation
      - 2) Mineralization by mechanical precipitation
- II. Lead-zinc-silver deposits
  - A. Summary of geological occurrence
  - B. The deposits
    - a) Hydrothermal veins
      - 1) Erzgebirge
        - Summary of the lead-zinc-silver ore veins in the Erzgebirge
        - "Himmelfahrt" mine near Freiberg
          - 1. Geographical location, ownership, and transportation
          - 2. General geological conditions
          - 3. General deposit conditions
          - 4. Content of the deposit
          - 5. Structure of the deposit
          - 6. Metal content and ore reserves
          - 7. Ore distribution within the deposit

## 8. Genesis

## 9. Operational conditions

## a. Mining

## b. Conveying

## c. Exploration and preliminary work

## d. Ventilation

## e. Ore dressing

## f. Compressed air production

## g. Drainage

## 10. Production

## 11. Personnel

## 12. Present condition of the mine and economic prospects

## "Beihilfe" mine, Halsbruecke near Freiberg

## 1. Geographical location, ownership, transportation

## 2. General geological conditions in the mine region

## 3. General deposit conditions

## 4. Content of the deposit

## 5. Structure of the deposit

## 6. Metal contents and ore reserves

## 7. Ore distribution within the deposit

## 8. Genesis

## 9. Operational conditions

## 10. Production during the last few years

## 11. Personnel

## 12. Present condition of the mine

## 13. Economic prospects

## Illustrations

- Fig. 1: Microphoto: Galenite displaces sphalerite and takes over a cassiterite unit from the sphalerite - "Clemens" vertical bed, "Vertraagliche Gesellschaft" tunnel, "Himmelfahrt" mine
- Fig. 2: Microphoto: Pseudoeutectic intergrowth of chalcopyrite and galenite. "Leander" hanging vertical bed, above 4th level, 56 Lachter (112 meters) north of "Kunst" shaft, "Himmelfahrt" mine, Freiberg
- Fig. 3: Microphoto: Differentiation of tennantite at the grain borders of very fine-grained galenite. Vertical bed of "Kueh" shaft, "Himmelfahrt" mine, Freiberg
- Fig. 4: Microphoto: Four-pointed sphalerite crystals in chalcopyrite. "Segen Gottes" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 5: Microphoto: Galenite displaces sphalerite. "Junge hohe Birke" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 6: Microphoto: Differentiation of stannite in sphalerite on tetrahedral surfaces. "Frischglueck" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 7: Microphoto: Vallerite and pyrrhotite lamellae in chalcopyrite differentiation grain in sphalerite. "Kreuz Neuhoftung" horizontal bed, "Himmelfahrt" mine, Freiberg
- Fig. 8: Microphoto: Chalcopyrite lamellae in pyrrhotine differentiation grain in sphalerite. "Isaak" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 9: Microphoto: Differentiations of pyrrhotite in sphalerite. "Himmelfahrt" mine, Freiberg
- Fig. 10: Microphoto: Differentiation droplet of tetrahedrite in galenite. "Schwarzer Hirsch" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 11: Microphoto: Etched with fuming HCl. Stromeyerite with residues of sphalerite is replaced by sternbergite according to its cleavage. "Leander" vertical bed, "Himmelfahrt" mine, Freiberg

- Fig. 12: Microphoto: Alternating layers of well-polished and poorly polished pyrite (formerly iron bisulfide gel) and crystalline pyrite. "Gottes Segen macht reich" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 13: Microphoto: Pyrite pervaded and replaced by chalcopyrite. "Kueh" shaft vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 14: Microphoto: Pyrite hexahedron in striped marcasite the fissures of which are filled with ankerite. "Gottes Segen macht reich" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 15: Microphoto: Cassiterite penetrates a corroded arsenopyrite crystal in sphalerite. "Theodor" horizontal bed, "Himmelfahrt" mine, Freiberg
- Fig. 16: Microphoto: Differentiations of chalcopyrite in sphalerite. Considerable differentiations at grain borders. "Machtigall" vertical bed, "Himmelfahrt" mine, Freiberg
- Fig. 17: Microphoto: Cassiterite needles with quadratic cross-section penetrate sphalerite and pyrite, Horizontal bed "Theodor," "Himmelfahrt" mine, Freiberg
- Fig. 18: Flow diagram of the lead-zinc-pyrite-arsenic flotation process at the "Fundgrube," "Himmelfahrt" mine, Freiberg
- Fig. 19: Halsbruecke spar. Linking of soft and hard apophyses, forming crossed veins. "Beihilfe" mine, Halsbruecke.
- Fig. 20: Photo: Galenite crystals of the combination (100) (111) as druse filling. "Beihilfe" mine, Halsbruecke
- Fig. 21: Photo: Galenite crystals with fluorite hexahedrons on top. Desmine as most recent formation in tiny, bundle-like brown-colored crystal clusters. "Beihilfe" mine, Halsbruecke
- Fig. 22: Photo: Polished surface; Galenite penetrating quartz. Joined to tetrahedrite in the center. "Beihilfe" mine, Halsbruecke
- Fig. 23: Photo: Polished surface; Pyrite - marcasite in clusters representing perimorphs after barite. "Beihilfe" mine, Halsbruecke

- Fig. 24: Photo: Polished surface: Marcasite, sphalerite and fluorite surrounded by idiomorphous galenite, which in turn is encrusted with gel pyrite and marcasite crystals. "Beihilfe" mine, Halsbruecke
- Fig. 25: Photo: Section of vein. Hard apophysis. Stratified structure with light and dark quartz bands. Fine to coarse chalcopyrite interspersed. "Beihilfe" mine, Halsbruecke
- Fig. 26: Photograph: Vein section. Hard apophysis. Stratified structure. Dark layers are partially chalcopyrite, pyrite, and finely distributed sphalerite. All layers consist of quartz and barite.
- Fig. 27: Photograph: Polished surface: Barite lath with quartz, chalcopyrite, and galenite as fillers. "Beihilfe" mine, Halsbruecke
- Fig. 28: Photograph: Polished surface. Quartz and fluorite, pseudo-morphous barite. Galenite filler. "Beihilfe" mine, Halsbruecke
- Fig. 29: Photograph: Polished surface. Corroded galenite crystal encrusted by marcasite, quartz, gel pyrite, some chalcopyrite, and shell-like barite. "Beihilfe" mine, Halsbruecke
- Fig. 30: Photograph: Vein section. Soft apophysis. Stratified structure less pronounced. Barite with some fluorite, fine galenite and tetrahedrite interspersed. "Beihilfe" mine, Halsbruecke
- Fig. 31: Photograph: Vein section. Soft apophysis. Stratified structure. Quartz and barite. In the center, shell-like marcasite and gel pyrite. "Beihilfe" mine, Halsbruecke
- Fig. 32: Photograph: Polished surface: Idiomorphous fluorite on top of quartz with sphalerite. More recent quartz above.
- Fig. 33: Photograph: Polished surface: Brecciated structure. Fragment of rather dark quartz with many inclusions of chalcopyrite, some galenite, and sphalerite enclosed by white crystalline quartz. "Beihilfe" mine, Halsbruecke
- Fig. 34: Table of the age sequence of the deposits. "Beihilfe" mine, Halsbruecke
- Fig. 35: Flow diagram of the lead ore flotation process. "Beihilfe" mine, Halsbruecke



Fig. 36: Flow diagram of the fluorite flotation process, "Beihilfe" mine, Halsbruecke

#### Tables

1. Map showing the Variscian structure of Germany
2. Map showing the deposits of nonferrous and rare metals in Germany
3. Map showing the veins in the Eastern Erzgebirge
4. Map of the "Beihilfe" mine, Halsbruecke, and the "Himmelfahrt" mine, Freiberg
5. Horizontal plan of the new mining installations, "Himmelfahrt" mine, Freiberg
6. Cross-section of the "Koenigsee" vertical bed, "Himmelfahrt" mine, Freiberg
7. Cross-section of the "Schwarzer Hirsch" vertical bed, "Himmelfahrt" mine, Freiberg
8. Cross-section of the vertical bed in the main tunnel, "Himmelfahrt" mine, Freiberg (NOTE: Missing in original.)
9. Map showing the spar veins at Halsbruecke and the ores in the vicinity, "Beihilfe" mine, Halsbruecke
10. Horizontal and vertical cross-section of the Halsbruecke spar veins, "Beihilfe" mine, Halsbruecke
11. Graphic representation of assay results, "Beihilfe" mine, Halsbruecke